

Online Perception Experiments

How to create a new user on Mac

Na-Young Ryu

University of Toronto

July 11, 2018

Overall procedure

Server Administration

Setting up a web server

Apache Web Server

PHP

Creating an account

Client Operation

Uploading a JsPsych and a JQuery


Filezilla FTP application

Editing a file with a code editor


Atom code editor

Creating a user account

1. Server




Click "System Preferences"




Click "Users & Groups"

Creating a user account

1. Server




Click "lock icon"




Input password

Creating a user account

1. Server




You can see "unlock icon"



Click "+" sign


Creating a user account

1. Server



Input new user information


Account Name means a user name



You can see a new user created

Creating a user account

1. Server



COMPLETED

Click "unlocked icon"

Creating a user account

2. Apache

```
hskwon — ssh phonlab@142.1.108.117 — 80x26
cfl-d25kn2x4dnml:apache2 phonlab$ cd /etc/apache2/users
cfl-d25kn2x4dnml:users phonlab$ ls
grad2018.conf      phonlab.conf      ra.conf
lisasullivan.conf phonlab.hskwon     speechrate2018.conf
lisasullivan.hskwon pmonahan.conf     ta.conf
cfl-d25kn2x4dnml:users phonlab$ sudo cp phonlab.conf nyryu.conf
Password:
cfl-d25kn2x4dnml:users phonlab$ ls
grad2018.conf      phonlab.conf      speechrate2018.conf
lisasullivan.conf phonlab.hskwon     ta.conf
lisasullivan.hskwon pmonahan.conf
nyryu.conf         ra.conf
cfl-d25kn2x4dnml:users phonlab$ cat nyryu.conf
<Directory "/Users/phonlab/Sites/">
#   Options Indexes MultiViews
    AllowOverride None
    Require all granted
</Directory>
cfl-d25kn2x4dnml:users phonlab$
cfl-d25kn2x4dnml:users phonlab$ cat nyryu.conf
<Directory "/Users/nyryu/Sites/">
#   Options Indexes MultiViews
    AllowOverride None
    Require all granted
</Directory>
cfl-d25kn2x4dnml:users phonlab$ sudo apachectl restart
```

1. move to configuration directory
2. check files in the directory
3. copy a current user configuration file to a new user configuration file
4. check the new user configuration file created
5. check contents in the new user configuration file
6. modify contents in the new user configuration file: phonlab -> nyryu
7. check contents again in the new user configuration file
8. restart apache web server